



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) Publication number:

**0 445 342 B1**

(12)

## EUROPEAN PATENT SPECIFICATION

(45) Date of publication of patent specification: **26.01.94** (51) Int. Cl.<sup>5</sup>: **A61K 7/021**

(21) Application number: **90104820.7**

(22) Date of filing: **14.03.90**

(54) **Colored cosmetic compositions.**

(30) Priority: **05.03.90 US 485963**

(43) Date of publication of application:  
**11.09.91 Bulletin 91/37**

(45) Publication of the grant of the patent:  
**26.01.94 Bulletin 94/04**

(84) Designated Contracting States:  
**CH DE FR GB IT LI**

(56) References cited:

<b>EP-A- 0 195 575</b>	<b>EP-A- 0 370 470</b>
<b>FR-A- 1 309 399</b>	<b>FR-A- 1 538 577</b>
<b>FR-A- 2 605 883</b>	<b>GB-A- 733 856</b>
<b>GB-A- 820 111</b>	<b>US-A- 2 938 873</b>
<b>US-A- 4 533 484</b>	

**MANUFACTURING CHEMIST AND AEROSOL NEWS**, vol. 53, no. 10, October 1982, pages 46-47,49, London, GB; Colours-not so pure and simple"

**HOUSEHOLD AND PERSONAL PRODUCTS INDUSTRY**, vol. 23, no. 8, August 1986, pages 54-55, Denville, NY, US; H.C. CARSON: "Recon offers polymer entrapment for nail polish"

(73) Proprietor: **ESTEE LAUDER INC.**  
**767 Fifth Avenue**  
**New York New York 10153(US)**

(72) Inventor: **Calvo,Luis C.**  
**8 Avon Place**  
**Bayshore New York 11706(US)**  
Inventor: **Peters,David W.**  
**6 Bourdette Place**  
**Amityville New York 11701(US)**

(74) Representative: **VOSSIUS & PARTNER**  
**Postfach 86 07 67**  
**D-81634 München (DE)**

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid (Art. 99(1) European patent convention).

**EP 0 445 342 B1**

## Description

This invention relates to colored cosmetic compositions. More particularly, this invention relates to cosmetic compositions that, when applied to a person's skin (e.g., the lips or cheeks), hair or nails, exhibit exceptional brilliance and clarity of color, and a method of using those compositions to provide an aesthetically pleasing appearance to the skin, hair or nails.

The use of cosmetics is widespread in modern society. Cosmetics typically are intended to provide an attractive appearance through the use of color, e.g., by highlighting certain features of the face and/or accentuating natural colors. Colored cosmetics are used, for example, to accentuate lines of separation (eye liners and lip liners), to provide sensuous color to portions of the skin (lipsticks and glosses) and to provide a "healthy glow" to the cheeks (blushes and rouges). Cosmetics may also be used to hide imperfections of the skin and to protect the skin (e.g., by blocking the skin from harmful ultraviolet light).

A variety of coloring agents can be used to color cosmetics, including inorganic and organic dyes or pigments. Generally, to be useful as cosmetic colorants, soluble dyes must be converted into insoluble forms. For the purposes of this application, any soluble dye that is in solution, will be referred to as a "solvated dye". A solvated dye composed of a water-soluble dye in an aqueous solution will be referred to as an "aqueous dye". A "pigment" is any soluble dye, whether in a dry, powder form, or in solution, that has been converted into an insoluble form. There are a variety of methods currently used in the cosmetic industry to insolubilize soluble dyes. The most common method used to insolubilize water-soluble dyes is called "laking". "Lake" colorants are metallic complexes of organic coloring matter obtained by precipitating an organic dyestuff onto an inorganic substrate. See generally US-A-3,873,687.

GB-A-820,111 refers to lipstick, nail varnish or nail polish compositions, comprising lakes of fluorescent dyes precipitated in synthetic resins.

GB-A-733,856 refers to fluorescent compositions comprising lakes of fluorescent dyes precipitated in the presence of synthetic resins.

Water-soluble dyes have also been insolubilized by salifying the dyes with copolymers (see generally US-A-4,438,140) or by contacting a polymer containing X-allyl-2-oxazolidinone with a water-soluble dye as described in US-A-4 553 484.

Applicants have discovered that cosmetics containing pigments formed by incorporating a solvated dye into a resin, exhibit superior brilliance and clarity of color, as compared to cosmetics containing pigments formed through conventional

processes, such as, e.g., "laking". Thus, the pigments used in the compositions of this invention typically are made by incorporating a solvated dye into a resin to obtain a colored resin, which then may be ground into a powdered pigment suitable for cosmetic applications.

Any soluble dye can be used to manufacture the pigments used in the compositions of this invention. The preferred dyes used to manufacture the pigments used in the compositions of this invention are water-soluble dyes. For example, several different methods for the manufacture of these pigments using daylight fluorescent dyes are described generally in US-A-2,938,873 and US-A-2,498,592.

EP-A-0 370 470, published after the filing date of this application but having an earlier priority date, refers to fluorescent cosmetic compositions comprising (a) a daylight fluorescent pigment comprising a daylight fluorescent dye dissolved in a carrier resin and (b) a cosmetic carrier having admixed therein said daylight fluorescent pigment in an amount effective to provide a fluorescent appearance to the compositions when they are applied to a person's skin, hair or nails.

To the best of our knowledge, to date the pigments used in the compositions of this invention have not been utilized in cosmetic compositions. Neither, to the best of our knowledge, have these pigments been applied to the skin (e.g., the lips or cheeks), hair, or nails to enhance their appearance.

It is an object of the present invention to provide cosmetic compositions that are characterized by their exceptional brilliance and clarity of color.

A further object of this invention is to provide attractive colored cosmetic compositions that are stable and safe for application to the human skin, hair, or nails.

Another object of this invention is to provide a method of providing an attractive appearance to the skin, hair, or nails.

The present invention relates to compositions and methods for achieving the foregoing objects. The compositions comprise:

- (a) a pigment formed by incorporating a solvated dye into a resin, and
- (b) a cosmetic carrier having admixed therein the pigment in an amount effective to provide an attractive cosmetic effect to the composition when it is applied to a person's skin, hair, or nails with the proviso that the cosmetic composition is not a cosmetic carrier having admixed therein a daylight fluorescent pigment comprising a daylight fluorescent dye dissolved in a carrier resin, the daylight fluorescent pigment being present in the cosmetic carrier in an amount effective to provide a fluorescent appearance to the compositions when applied. The

methods of this invention comprise applying an effective amount of the foregoing composition to a person's skin (e.g., lips or cheeks), hair or nails.

The pigment component of the compositions of this invention should be present in an amount sufficient to provide the skin, hair, or nails with an aesthetically pleasing effect. Preferably the pigment comprises about 0.5-50% by weight of the composition. The solvated dye preferably comprises about 0.1-50% by weight of the pigment.

The compositions of this invention may take a wide variety of forms, e.g., lipsticks, glosses, blush powders and mascaras and other similar make-up compositions. The cosmetic carrier may comprise a wide variety of ingredients that are conventionally used in cosmetics, e.g., waxes, mineral oils, fatty alcohols, glycerine, and sunscreens.

Any soluble dye may be used to make the compositions of this invention, provided it is safe for application to the skin, hair or nails, has a desirable color and is compatible with the other components of the composition. It is desirable to use a dye that it is approved for drug and cosmetic use (D&C dyes) or food, drug and cosmetic use (FD&C dyes). The preferred dyes for use in the compositions of this invention are water-soluble dyes, and include FD&C Blue No. 11, FD&C Blue No. 12, FD&C Green No. 13, FD&C Red No. 13, FD&C Red No. 140, FD&C Yellow No. 15, FD&C Yellow No. 16, D&C Blue No. 14, D&C Blue No. 19, D&C Green No. 15, D&C Green No. 16, D&C Green No. 18, D&C Orange No. 14, D&C Orange No. 15, D&C Orange No. 110, D&C Orange No. 111, D&C Orange No. 117, FD&C Red No. 14, D&C Red No. 16, D&C Red No. 17, D&C Red No. 18, D&C Red No. 19, D&C Red No. 117, D&C Red No. 119, D&C Red No. 121, D&C Red No. 122, D&C Red No. 127, D&C Red No. 128, D&C Red No. 130, D&C Red No. 131, D&C Red No. 134, D&C Red No. 139, FD&C Red No. 140, D&C Violet No. 12, D&C Yellow No. 17, Ext. D&C Yellow No. 17, D&C Yellow No. 18, D&C Yellow No. 111, D&C Brown No. 11, Ext. D&C Violet No. 12, D&C Blue No. 16 and D&C Yellow No. 110. Such dyes are well known, commercially available materials, with their chemical structure being described, e.g., in 21 C.F.R. Part 74 (as revised April 1, 1988) and the CTFA Cosmetic Ingredient Handbook, (1988), published by the Cosmetics, Toiletry and Fragrance Association, Inc. These publications are incorporated herein by reference.

Any resin may be used in the compositions of this invention, provided it can be pulverized to a fine powder, is safe for application to the skin, and is compatible with the other components of the composition. The resin may be thermoplastic or thermosetting. The use of thermosetting materials

is generally advantageous because such materials are more readily ground to minute pigment-size particles, without tending to "gum-up" or agglomerate during grinding.

Preferred resins are those that do not absorb appreciable amounts of light. Preferably, the resins are transparent or at least translucent.

Polymeric materials approved by the Food and Drug Administration as "Indirect Food Additives" are especially preferred resins for use in the make-up compositions of this invention. These materials are well known, commercially available materials, described in 21 C.F.R. Part 177 (as revised April 11, 1988), which publication is incorporated herein by reference, and include, acrylic and modified acrylic plastics; acrylonitrile/butadiene/styrene copolymers; acrylonitrile/butadiene/styrene/methyl methacrylate copolymers; acrylonitrile/styrene copolymers; acrylonitrile/styrene copolymers modified with butadiene/styrene elastomer; cellophane; cyclohexylene dimethylene terephthalate and 1,4-cyclohexylene dimethylene isophthalate copolymers; ethylene-acrylic acid copolymers; ethylene-1,4-cyclohexylene dimethylene terephthalate copolymers; ethylene-ethyl acrylate copolymers; ionomeric resins; ethylene-methyl acrylate copolymer resins; ethylene-vinyl acetate copolymers; ethylene-vinyl acetate-vinyl alcohol copolymers; fluorocarbon resins; hydroxyethyl cellulose film, water-insoluble; isobutylene polymers; isobutylene-butene copolymers; 4,4'-isopropylidenediphenol-epichlorohydrin resins; melamine-formaldehyde resins; nitrile rubber modified acrylonitrile-methyl acrylate copolymers; nylon resins; olefin polymers; perfluorocarbon resins; polyarylate resins; polyarylsulfone resins; poly-1-butene resins and butene/ethylene copolymers; polycarbonate resins; polyester elastomers; polyetherimide resins; polyethylene resins, carboxyl modified; polyethylene, chlorinated; polyethylene, fluorinated; polyethylene, oxidized; polyethylene phthalate polymers; poly(p-methylstyrene) and rubber-modified poly(p-methylstyrene); polystyrene and rubber-modified polystyrene; polysulfide polymer-polyepoxy resins; polysulfone resins; poly(tetramethylene terephthalate); polyvinyl alcohol films; polyurethane resins; styrene block polymers; styrene-maleic anhydride copolymers; styrene-methyl methacrylate copolymers; texturils; urea-formaldehyde resins; vinyl chloride-ethylene copolymers; vinyl chloride-hexene-1 copolymers; vinyl chloride-lauryl vinyl ether copolymers; vinyl chloride-propylene copolymers; vinylidene chloride/methyl acrylate copolymers; vinylidene chloride/methyl acrylate/methyl methacrylate polymers; ethylene polymers, chlorosulfonated; 4,4'-isopropylidenediphenol-epichlorohydrin thermosetting epoxy resins; mineral reinforced nylon resins;

perfluorocarbon cured elastomers; phenolic resins; polyester resins, cross-linked; polyether resins, chlorinated; polyethersulfone resins; polyamide-imide resins; poly(2,6-dimethyl-1,4-phenylene) oxide resins; polyoxymethylene copolymers; polyoxymethylene homopolymers; polyphenylene sulfide resins; polyvinylidene fluoride resins; and styrene-divinylbenzene resins, cross-linked.

The pigments used in the compositions of this invention are formed by the incorporation of a solvated dye into the resin, with the resultant coloring of the resin. Without wishing to be bound by any theory, it is believed that the solvated dye is absorbed into, encapsulated, enveloped or entrapped by the resin, dispersed throughout the resin, or dissolved in the resin, depending on the particular dyes and resins used and the method used to incorporate the dye into the resin. Accordingly, for the purposes of this application, "incorporate" or "incorporation" are general terms used to describe the coloring of a resin by a solvated dye, and is meant to encompass the dispersion, entrapment, encapsulation, envelopment, dissolution etc., of the solvated dye in the resin, with resultant coloration of the resin.

Regardless of the particular method used to incorporate the solvated dye into the resin, applicants have discovered that when a soluble dye is dissolved into solution and the solution is incorporated into a resin and the resulting pigment is admixed with a cosmetic carrier, the resulting cosmetic composition exhibits exceptional clarity and brilliance of color.

The coloring of the resin with the solvated dye can be accomplished by conventional techniques such as those employed to incorporate other additives into such resins. For example, the resin may be colored by simply adding a solvated dye to the resin while the resin is in a plasticized or molten state (e.g., during the manufacture of the resin, or by heating the already formed resin above its melting point), under appropriate temperature and pressure conditions. A technique for incorporating a dye in aqueous solution into a resin by dissolving the dye in a solution of unpolymerized resin and a mutual solvent for the resin and dye, followed by the polymerization of the resin, is described in U.S. Patent No. 12,498,592. The resin may also be colored by contacting dry, powdered resin with a solvated dye. See generally U.S. Patent Nos. 2,498,592 and 2,938,873.

The resulting pigment, regardless of how it is made, may be pulverized. If pulverization does not result in a powder having the desired particle size distribution, the average size of the pigment particles may be narrowed by any of various systems of classification, (e.g., by sieving or by air classification.) Preferably, the pigment particles are

substantially uniform in size and do not exceed about 100 or 150 microns in diameter. Very fine particle sizes in the range of about 5-25 microns are most satisfactory for use in the invention, although larger and smaller particle sizes may be used.

Depending on the color effect desired, and their physical compatibility, any mixture of solvated dyes may be used in the compositions of this invention. Also depending on the color effect desired, one or more dyes or pigments other than solvated dyes may also be included in the compositions of this invention. Virtually all (if not all) of the coloring materials that are currently being used in commercial cosmetic compositions are suitable for such use. Among such materials are the lake of D&C Red #3, D&C Red #6, D&C Red #7, the lake of D&C Red #21, the lake of D&C Red #27, D&C Red #30, D&C Red #33, D&C Red #36, the lake of D&C Red #40, the lake of FD&C Yellow #6, D&C Yellow #6, the lake of D&C Yellow #10, the lake of FD&C Blue #1, and the lake of D&C Blue #1. Additionally, any of the colorants listed in Subparts A-C of 21 C.F.R. Part 73 (as revised April 1, 1988), which publication is incorporated herein by reference, may be included in the compositions of this invention.

While the compositions of this invention may be applied to any portion of the skin, hair or nails, in the most preferred embodiments the compositions are applied to the cheeks or to the lips. The compositions, therefore, preferably take a form suitable for such applications, e.g., the form of a lipstick or a powder for application to the cheeks.

The cosmetic carrier for the pigments used in the compositions of this invention is chosen to provide a composition that has the desired form (e.g., a lipstick or a powder). The cosmetic carrier should, of course, also be compatible with the pigments and be suitable for application to the skin, hair, or nails of a person.

Suitable cosmetic carriers are well known in the cosmetic art and include a vast array of materials. For example:

(1) When the composition takes the form of stick (e.g., a lipstick), at least a portion of the carrier typically will be a wax. Suitable waxes may be selected from the group consisting of lanolin, beeswax, candelilla wax, carnauba wax, cocoa butter, silicone waxes, fatty acids having a chain length of C12-C22, salts of the foregoing fatty acids, and mixtures thereof. In addition, the carrier may also include one or more oils, such as oils selected from the group consisting of paraffin oil, purcellin oil, sweet almond oil, avocado oil, castor oil, sesame oil, jojoba oil, mineral oils, silicone oils, cereal-germ oils, and mixtures thereof. The carrier may also include any num-

ber of colorants, flavorings or perfumes that are conventionally used in lipsticks.

(2) When the composition takes the form of a powder (e.g., a rouge composition for application to the cheeks), the carrier typically will comprise a mineral or organic filler, such as materials selected from the group consisting of talc, kaolin, starch, polyethylene powder, polyamide powder and mixtures thereof. The carrier may also include other materials that are conventionally used in many commercial cosmetic powders such as binders and colorants.

(3) When the composition takes the form of a liquid, the carrier typically comprises a mixture of one or more waxes and one or more oils. The same waxes and oils that may be used to make the lipsticks of this invention may also be used to make products of the invention that are in liquid forms, except that the specific oil and wax components and the amounts of those components are selected to provide a product that is in a liquid form, as opposed to a stick, at room temperature.

Regardless of the form of the product, the compositions of this invention may also include one or more ingredients that are conventionally used in cosmetic compositions. Such ingredients include, for example, perfumes; sunscreens, such as paraaminobenzoic acid (PABA) and its derivatives; anti-oxidants, such as butylated hydroxyanisole, butylated hydroxytoluene, tocopherol and ascorbyl palmitate; and preservatives, such as butyl paraben and ethyl paraben.

In addition to protecting the skin from the harmful effects of ultraviolet light, sunscreens such as PABA perform the additional function of diminishing the harmful degradative effects of such light on the pigments and colorants in the compositions, which can cause such pigments and colorants to fade over time. Other ultraviolet absorbers that are not conventionally classified as sunscreens, such as titanium dioxide, may also be included in the compositions of this invention for the purpose of diminishing the harmful degradative effects of ultraviolet light on the pigments and colorants in the compositions.

The pigments and cosmetic carriers may be combined to prepare the compositions of this invention by techniques currently used to prepare cosmetic compositions.

The following examples illustrate the invention which is defined in the claims appended hereto. Trademarks are acknowledged as such.

#### EXAMPLE I

This example illustrates a procedure for making a pigment used in the compositions of this inven-

tion from the following ingredients: deionized water, sodium octoxynol-2 ethane sulfonate (TRITON X200, Rohm & Haas Co.), glacial acetic acid, FD&C Blue # 1 and powdered toluene sulfonamide formaldehyde resin (SANTOLITE, Monsanto Corp.).

#### Procedure

We dissolved 3 grams of TRITON X200 (a wetting agent that facilitates dye penetration) and 30 grams of glacial acetic acid into 120 grams of deionized water. We added 0.3 gram of FD&C Blue # 1 to the solution, and mixed it for 10 minutes using a suitable laboratory mixer at a low speed, e.g., 30 rpms. We then added 15.0 grams of the powdered toluene sulfonamide formaldehyde resin and mixed the slurry for three additional minutes at the same speed.

The excess water was then decanted and the remaining pigment washed 8 times with deionized water. After the final decanting, the pigment was dried and pulverized using a mortar and pestle.

All these operations took place at room temperature.

#### EXAMPLE II

This example illustrates a procedure for making a pigment used in the compositions of this invention from a fluorescent dye (D&C Yellow #8 dye), and the following ingredients: deionized water, sodium octoxynol-2 ethane sulfonate (TRITON X200, Rohm & Haas Co.), glacial acetic acid and powdered toluene sulfonamide formaldehyde resin (SANTOLITE, Monsanto Corp.).

#### Procedure

We dissolved 3 grams of TRITON X200 (a wetting agent that facilitates dye penetration) and 30 grams of glacial acetic acid into 120 grams of deionized water. We added 0.3 gram of D&C Yellow #8 to the solution, and mixed it for 10 minutes using a suitable laboratory mixer at a low speed, e.g., 30 rpms. We then added 15.0 grams of the powdered toluene sulfonamide formaldehyde resin and mixed the slurry for three additional minutes at the same speed.

The excess water was then decanted and the remaining pigment washed 8 times with deionized water. After the final decanting, the pigment was dried and pulverized using a mortar and pestle.

All these operations took place at room temperature.

**EXAMPLE III**

This example illustrates a procedure for making a lipstick composition containing the pigments used in the compositions of this invention from the following ingredients: castor oil, candelilla, carnauba, castor wax, beeswax, ozokerite, lanolin, lanolin oil, mineral oil, butyl stearate and the Example II pigment.

**Procedure**

41.00 grams of castor oil, 7.80 grams of candelilla, 2.00 grams of carnauba, 0.60 grams of castor wax, 2.40 grams of beeswax, 3.60 grams of ozokerite, 7.80 grams of lanolin, 7.80 grams of lanolin oil, 3.00 grams of mineral oil, and 9.00 grams of butyl stearate were combined, heated to 80 °C and mixed gently until homogeneous. 3.00 grams of the Example II pigment was then added to 12.00 grams of castor oil and ground 3 times through a roller mill. This was added to the oil/wax mixture, which was then mixed until homogeneous, cooled to 60 °C and poured into lipstick molds. The resulting sticks were cooled, withdrawn from the molds and fitted into lipstick cases.

**EXAMPLE IV**

This example illustrates a procedure for making a pressed powder blush containing a pigment used in the compositions of this invention from the following ingredients: talc, zinc stearate, mica, the Example II pigment, cetyl alcohol, mineral oil (70 cps), and octyl dodecanol (STANDAMUL G, Henkel).

**Procedure**

66.0 grams of talc, 2.0 grams of zinc stearate, 6.0 grams of mica and 20.0 grams of the Example II pigment were blended together and pulverized to yield a finely divided powder.

1.2 grams of cetyl alcohol, 1.2 grams of mineral oil and 3.6 grams of octyl dodecanol were combined, heated to 65 °C and mixed gently until homogenous. The resulting mixture was then sprayed over the above-described powder. This was then blended until uniform in a ribbon blender.

**Claims**

1. A cosmetic composition comprising: (a) a pigment formed by incorporating a solvated dye into a resin, and (b) a cosmetic carrier having admixed therein said pigment in an amount effective to provide an attractive cosmetic effect to the composition when it is applied to a

person's skin, hair or nails with the proviso that the cosmetic composition is not a cosmetic carrier having admixed therein a daylight fluorescent pigment comprising a daylight fluorescent dye dissolved in a carrier resin, the daylight fluorescent pigment being present in the cosmetic carrier in an amount effective to provide a fluorescent appearance to the compositions when applied.

2. The composition according to claim 1, wherein the solvated dye is an aqueous dye.
3. The composition according to claim 1, wherein the solvated dye is incorporated into the resin by adding the dye to the resin while the resin is in a plasticized or molten state.
4. The composition according to claim 1, wherein the solvated dye is incorporated into the resin by dissolving the dye in a solution of unpolymerized resin and a mutual solvent for the resin and the dye, followed by the polymerization of the resin.
5. The composition according to claim 1, wherein the solvated dye is incorporated into the resin by contacting the dye with the resin.
6. The composition according to any one of claims 1, 3, 4 and 5, wherein the solvated dye is an aqueous solution of any dye selected from the group consisting of FD&C Blue No. 11, FD&C Blue No. 12, FD&C Green No. 13, FD&C Red No. 13, FD&C Red No. 140, FD&C Yellow No. 15, FD&C Yellow No. 16, D&C Blue No. 14, D&C Blue No. 19, D&C Green No. 15, D&C Green No. 16, D&C Green No. 18, D&C Orange No. 14, D&C Orange No. 15, D&C Orange No. 110, D&C Orange No. 111, D&C Orange No. 117, FD&C Red No. 14, D&C Red No. 16, D&C Red No. 17, D&C Red No. 18, D&C Red No. 19, D&C Red No. 117, D&C Red No. 119, D&C Red No. 121, D&C Red No. 122, D&C Red No. 127, D&C Red No. 128, D&C Red No. 130, D&C Red No. 131, D&C Red No. 134, D&C Red No. 139, FD&C Red No. 140, D&C Violet No. 12, D&C Yellow No. 17, Ext. D&C Yellow No. 17, D&C Yellow No. 18, D&C Yellow No. 111, D&C Brown No. 11, Ext. D&C Violet No. 12, D&C Blue No. 16 and D&C Yellow No. 110.
7. The composition according to any one of claims 1, 3, 4 and 5, wherein the resin is a polymeric material selected from the group consisting of acrylic and modified acrylic plastics; acrylonitrile/butadiene/styrene

copolymers; acrylonitrile/butadiene/styrene/methyl methacrylate copolymers; acrylonitrile/styrene copolymers; acrylonitrile/styrene copolymers modified with butadiene/styrene elastomer; cel-  
 5 lophane; cyclohexylene dimethylene terephthalate and 1,4-cyclohexylene dimethylene isophthalate copolymers; ethylene-acrylic acid copolymers; ethylene-1,4-cyclohexylene dimethylene terephthalate copolymers; ethyl-  
 10 ene-ethyl acrylate copolymers; ionomeric resins; ethylene-methyl acrylate copolymer resins; ethylene-vinyl acetate copolymers; ethylene-vinyl acetate-vinyl alcohol copolymers; fluorocar-  
 15 bon resins; hydroxyethyl cellulose film, water-insoluble; isobutylene polymers; isobutylene-butene copolymers; 4,4'-isopropylidenediphenol-epichlorohydrin resins;  
 melamine-formaldehyde resins; nitrile rubber modified acrylonitrile-methyl acrylate  
 20 copolymers; nylon resins; olefin polymers; perfluorocarbon resins; polyarylate resins; polyarylsulfone resins; poly-1-butene resins and butene/ethylene copolymers; polycar-  
 25 bonate resins; polyester elastomers; polyetherimide resins; polyethylene resins, carboxyl modified; polyethylene, chlorinated; polyethylene, fluorinated; polyethylene, oxidized;  
 polyethylene phthalate polymers; poly(p-methylstyrene) and rubber-modified poly(p-methylstyrene); polystyrene and rubber-modi-  
 30 fied polystyrene; polysulfide polymer-polyepoxy resins; polysulfone resins; poly(tetramethylene terephthalate); polyvinyl alcohol films; polyurethane resins; styrene block  
 35 polymers; styrene-maleic anhydride copolymers; styrene-methyl methacrylate copolymers; textryls; urea-formaldehyde resins; vinyl chloride-ethylene copolymers; vinyl  
 40 chloride-hexene-1 copolymers; vinyl chloride-lauryl vinyl ether copolymers; vinyl chloride-propylene copolymers; vinylidene chlo-  
 ride/methyl acrylate copolymers; vinylidene chloride/methyl acrylate/methyl methacrylate polymers; ethylene polymers, chlorosulfonated;  
 4,4'-isopropylidenediphenol-epichlorohydrin thermosetting epoxy resins; mineral reinforced  
 45 nylon resins; perfluorocarbon cured elastomers; phenolic resins; polyester resins, cross-linked; polyether resins, chlorinated;  
 50 polyethersulfone resins; polyamide-imide resins; poly(2,6-dimethyl-1,4-phenylene) oxide resins; polyoxymethylene copolymers; polyoxymethylene homopolymers; polyphenylene  
 55 sulfide resins; polyvinylidene fluoride resins; and styrene-divinylbenzene resins, cross-linked.

8. The composition according to claim 1 wherein the pigment contains about 0.1-50% by weight of the solvated dye.
9. The composition according to claim 8 wherein the composition contains about 0.5-50% by weight of the pigment.
10. The composition according to claim 1, wherein the composition is in the form of a stick suitable for application to the lips.
11. The composition according to claim 1, wherein the composition is in a powder form.
12. The composition according to claim 1, wherein the composition is in a liquid form.
13. A method for providing the skin, hair or nails of a person with an attractive cosmetic effect comprising applying to the skin, hair or nails an effective amount of the composition of any one of claims 1 to 9.
14. A method for providing the lips of a person with an attractive cosmetic effect comprising applying to the lips an effective amount of the composition of claim 10.
15. A method for providing the skin or hair of a person with an attractive cosmetic effect comprising applying to the skin or hair an effective amount of the composition of claim 11.
16. The method of claim 15 wherein the composition is applied to the cheeks of a person.
17. A method for providing the skin, hair or nails of a person with an attractive cosmetic effect comprising applying to the nails an effective amount of the composition of claim 12.

#### Patentansprüche

1. Kosmetisches Mittel, umfassend: (a) ein Pigment, das durch Einbringen eines solvatisierten Farbstoffs in ein Harz gebildet wird, und (b) einen kosmetischen Träger, dem dieses Pigment in einer wirksamen Menge zugesetzt wird, sodaß die Haut, das Haar oder die Nägel einer Person nach Auftrag des Mittels attraktiv wirken, mit der Maßgabe, daß das kosmetische Mittel kein kosmetischer Träger ist, dem ein Tageslichtfluoreszenzpigment zugesetzt ist, das einen in einem Trägerharz gelösten Tageslichtfluoreszenzfarbstoff umfaßt, wobei das Tageslichtfluoreszenzpigment in dem kosmetischen Träger in einer wirksamen Menge vor-

- liegt, um den Mitteln nach Auftrag ein fluoreszierendes Aussehen zu verleihen.
2. Mittel nach Anspruch 1, wobei der solvatisierte Farbstoff ein wäßriger Farbstoff ist. 5
  3. Mittel nach Anspruch 1, wobei der solvatisierte Farbstoff durch Zugabe des Farbstoffs zum Harz, solange das Harz in einem weichen oder geschmolzenen Zustand ist, in das Harz eingebracht wird. 10
  4. Mittel nach Anspruch 1, wobei der solvatisierte Farbstoff in das Harz eingebracht wird, indem man den Farbstoff in einer Lösung aus unpolymerisiertem Harz und einem gemeinsamen Lösungsmittel für das Harz und den Farbstoff auflöst und anschließend das Harz polymerisiert. 15
  5. Mittel nach Anspruch 1, wobei der solvatisierte Farbstoff in das Harz dadurch eingebracht wird, daß der Farbstoff mit dem Harz in Berührung gebracht wird. 20
  6. Mittel nach einem der Ansprüche 1, 3, 4 und 5, wobei der solvatisierte Farbstoff eine wäßrige Lösung eines beliebigen Farbstoffs ist, ausgewählt aus der Gruppe aus FD&C Blau Nr. 11, FD&C Blau Nr. 12, FD&C Grün Nr. 13, FD&C Rot Nr. 13, FD&C Rot Nr. 140, FD&C Gelb Nr. 15, FD&C Gelb Nr. 16, D&C Blau Nr. 14, D&C Blau Nr. 19, D&C Grün Nr. 15, D&C Grün Nr. 16, D&C Grün Nr. 18, D&C Orange Nr. 14, D&C Orange Nr. 15, D&C Orange Nr. 110, D&C Orange Nr. 111, D&C Orange Nr. 117, FD&C Rot Nr. 14, D&C Rot Nr. 16, D&C Rot Nr. 17, D&C Rot Nr. 18, D&C Rot Nr. 19, D&C Rot Nr. 117, D&C Rot Nr. 119, D&C Rot Nr. 121, D&C Rot Nr. 122, D&C Rot Nr. 127, D&C Rot Nr. 128, D&C Rot Nr. 130, D&C Rot Nr. 131, D&C Rot Nr. 134, D&C Rot Nr. 139, FD&C Rot Nr. 140, D&C Violett Nr. 12, D&C Gelb Nr. 17, Ext. D&C Gelb Nr. 17, D&C Gelb Nr. 18, D&C Gelb Nr. 111, D&C Braun Nr. 11, Ext. D&C Violett Nr. 12, D&C Blau Nr. 16 oder D&C Gelb Nr. 110 ist. 30
  7. Mittel nach einem der Ansprüche 1, 3, 4 und 5, wobei das Harz ein polymeres Material ist, ausgewählt aus der Gruppe aus Acryl- und modifizierten Acrylkunststoffen, Acrylnitril/Butadien/Styrol-Copolymeren, Acrylnitril/Butadien/Styrol/Methylmethacrylat-Copolymeren, Acrylnitril/Styrol-Copolymeren, Acrylnitril/Styrol-Copolymeren, modifiziert mit Butadien/Styrol-Elastomer, Cellophan, Cyclohexylendimethylenterephthalat- und 1,4-Cyclo-

exylendimethylenisophthalat-Copolymeren, Ethylen-Acrylsäure-Copolymeren, Ethylen-1,4-Cyclohexylendimethylenterephthalat-Copolymeren, Ethylen-Ethylacrylat-Copolymeren, ionomeren Harzen, Ethylen-Methylacrylat-Copolymerharzen, Ethylen-Vinylacetat-Copolymeren, Ethylen-Vinylacetat-Vinylalkohol-Copolymeren, Fluorkohlenwasserstoffharzen, wasserunlöslichem Hydroxyethylcellulosefilm, Isobutylpolymeren, Isobutyl-Buten-Copolymeren, 4,4'-Isopropylidendiphenol-Epichlorhydrin-Harzen, Melamin-Formaldehyd-Harzen, mit Nitrilkautschuk modifizierten Acrylnitril-Methylacrylat-Copolymeren, Nylonharzen, Olefinpolymeren, Perfluorkohlenwasserstoffharzen, Polyaryletherharzen, Polyarylsulfonharzen, Poly-1-butenharzen und Buten/Ethylen-Copolymeren, Polycarbonatharzen, Polyesterelastomeren, Polyetherimidharzen, carboxylmodifizierten Polyethylenharzen, chloriertem Polyethylen, fluoriertem Polyethylen, oxidiertem Polyethylen, Polyethylen-Phthalat-Polymeren, Poly(p-methylstyrol) und kautschukmodifiziertem Poly(p-methylstyrol), Polystyrol und kautschukmodifiziertem Polystyrol, Polysulfidpolymer-Polyepoxyharzen, Polysulfonharzen, Poly-(tetramethylenterephthalat), Polyvinylalkoholfilmen, Polyurethanharzen, Styrolblockpolymeren, Styrol-Maleinsäureanhydrid-Copolymeren, Styrol-Methylmethacrylat-Copolymeren, Texturilen, Harnstoff-Formaldehyd-Harzen, Vinylchlorid-Ethylen-Copolymeren, Vinylchlorid-hexen-1-Copolymeren, Vinylchlorid-Laurylvinylether-Copolymeren, Vinylchlorid-Propylen-Copolymeren, Vinylidenchlorid/Methylacrylat-Copolymeren, Vinylidenchlorid/Methylacrylat/Methylmethacrylat-Polymeren, chlorsulfonierten Ethylenpolymeren, hitzehärtbaren 4,4'-Isopropylidendiphenol-Epichlorhydrin-Epoxyharzen, mineralisch verstärkten Nylonharzen, mit Perfluorkohlenwasserstoffen gehärteten Elastomeren, phenolischen Harzen, vernetzten Polyesterharzen, chlorierten Polyetherharzen, Polyethersulfonharzen, Polyamid-Imid-Harzen, Poly-(2,6-dimethyl-1,4-phenylen)oxidharzen, Polyoxymethylen-Copolymeren, Polyoxymethylen-Homopolymeren, Polyphenylensulfidharzen, Polyvinylidenfluoridharzen oder vernetzten Styrol-Divinylbenzol-Harzen.

8. Mittel nach Anspruch 1, wobei das Pigment etwa 0,1 - 50 Gew.-% des solvatisierten Farbstoffs enthält. 40
9. Mittel nach Anspruch 8, wobei das Mittel etwa 0,5 - 50 Gew.-% des Pigments enthält. 45



10. Mittel nach Anspruch 1, wobei das Mittel in Form eines Stiftes vorliegt, der zum Auftragen auf die Lippen geeignet ist.

11. Mittel nach Anspruch 1, wobei das Mittel in Pulverform vorliegt.

12. Mittel nach Anspruch 1, wobei das Mittel in flüssiger Form vorliegt.

13. Verfahren zur Erzielung einer attraktiven kosmetischen Wirkung auf der Haut, den Haaren oder Nägeln einer Person, das das Auftragen einer wirksamen Menge des Mittels nach einem der Ansprüche 1 bis 9 auf die Haut, Haare oder Nägel umfaßt.

14. Verfahren zur Erzielung einer attraktiven kosmetischen Wirkung auf den Lippen einer Person, das das Auftragen einer wirksamen Menge des Mittels nach Anspruch 10 auf die Lippen umfaßt.

15. Verfahren zur Erzielung einer attraktiven kosmetischen Wirkung auf der Haut oder den Haaren einer Person, das das Auftragen einer wirksamen Menge des Mittels nach Anspruch 11 auf die Haut oder Haare umfaßt.

16. Verfahren nach Anspruch 15, wobei das Mittel auf die Wangen einer Person aufgetragen wird.

17. Verfahren zur Erzielung einer attraktiven kosmetischen Wirkung auf der Haut, den Haaren oder Nägeln einer Person, das das Auftragen einer wirksamen Menge des Mittels nach Anspruch 12 auf die Nägel umfaßt.

#### Revendications

1. Composition cosmétique comprenant:

(a) un pigment formé par incorporation d'un colorant solvaté dans une résine, et (b) un support cosmétique dans lequel est mélangé ledit pigment en une quantité efficace pour donner à la composition un effet cosmétique attirant lorsqu'elle est appliquée sur la peau, les cheveux ou les ongles d'une personne, sous réserve que la composition cosmétique ne soit pas un support cosmétique dans lequel est mélangé un pigment fluorescent à la lumière du jour comprenant un colorant fluorescent à la lumière du jour dissous dans une résine support, le pigment fluorescent à la lumière du jour étant présent dans le support cosmétique en une quantité efficace pour donner une apparence fluorescente aux compositions lors de leur application.

2. Composition selon la revendication 1, dans laquelle le colorant solvaté est un colorant aqueux.

3. Composition selon la revendication 1, dans laquelle l'incorporation du colorant solvaté dans la résine se fait par addition du colorant à la résine pendant que la résine est dans un état plastifié ou fondu.

4. Composition selon la revendication 1, dans laquelle l'incorporation du colorant solvaté dans la résine se fait par dissolution du colorant dans une solution de résine non polymérisée et d'un solvant commun à la résine et au colorant, suivie de la polymérisation de la résine.

5. Composition selon la revendication 1, dans laquelle l'incorporation du colorant solvaté dans la résine se fait par mise en contact du colorant avec la résine.

6. Composition selon l'une quelconque des revendications 1, 3, 4 et 5, dans laquelle le colorant solvaté est une solution aqueuse d'un colorant quelconque choisi dans le groupe constitué par le bleu FD&C n° 11, le bleu FD&C n° 12, le vert FD&C n° 13, le rouge FD&C n° 13, le rouge FD&C n° 140, le jaune FD&C n° 15, le jaune FD&C n° 16, le bleu D&C n° 14, le bleu D&C n° 19, le vert D&C n° 15, le vert D&C n° 16, le vert D&C n° 18, l'orange D&C n° 14, l'orange D&C n° 15, l'orange D&C n° 110, l'orange D&C n° 111, l'orange D&C n° 117, le rouge FD&C n° 14, le rouge D&C n° 16, le rouge D&C n° 17, le rouge D&C n° 18, le rouge D&C n° 19, le rouge D&C n° 117, le rouge D&C n° 119, le rouge D&C n° 121, le rouge D&C n° 122, le rouge D&C n° 127, le rouge D&C n° 128, le rouge D&C n° 130, le rouge D&C n° 131, le rouge D&C n° 134, le rouge D&C n° 139, le rouge FD&C n° 140, le violet D&C n° 12, le jaune D&C n° 17, le jaune D&C Ext n° 17, le jaune D&C n° 18, le jaune D&C n° 111, le brun D&C n° 11; le violet D&C Ext. n° 12, le bleu D&C n° 16 et le jaune D&C n° 110.

7. Composition selon l'une quelconque des revendications 1, 3, 4 et 5, dans laquelle la résine est une matière polymère choisie dans le groupe constitué par des matières plastiques acryliques et acryliques modifiées; des copolymères acrylonitrile/butadiène/styrène; des copolymères acrylonitrile/butadiène/styrène/méthacrylate de méthyle; des copolymères acrylonitrile/styrène; des co-

polymères acrylonitrile/styrène modifiés avec un élastomère butadiène/styrène; de la cellophane; des copolymères de téréphtalate de cyclohexylènediméthylène et d'isophtalate de 1,4-cyclohexylènediméthylène; des copolymères éthylène-acide acrylique; des copolymères éthylène-téréphtalate de 1,4-cyclohexylènediméthylène; des copolymères éthylène-acrylate d'éthyle; des résines ionomères; des résines copolymères éthylène-acrylate de méthyle; des copolymères éthylène-acétate de vinyle; des copolymères éthylène-acétate de vinyle-alcool vinylique; des résines fluorées; un film d'hydroxyéthylcellulose insoluble dans l'eau; des polymères d'isobutylène; des copolymères isobutylène-butène; des résines 4,4'-isopropylidènediphénol-épichlorhydrine; des résines mélamine-formaldéhyde; des copolymères acrylonitrile-acrylate de méthyle modifiés avec du caoutchouc nitrile; des résines de nylon; des polymères d'oléfinés; des résines perfluorées; des résines polyarylates; des résines polyaryl-sulfones; des résines poly-1-butène et des copolymères butène/éthylène; des résines polycarbonates; des polyesters élastomères; des résines polyétherimides; des résines polyéthylène modifié par des carboxyles; du polyéthylène chloré; du polyéthylène fluoré; du polyéthylène oxydé; des polymères poly(phtalate d'éthylène); du poly(p-méthylstyrène) et du poly(p-méthylstyrène) modifié avec un caoutchouc; du polystyrène et du polystyrène modifié avec un caoutchouc; des résines (polymère polysulfure)-polyépoxy; des résines polysulfones; du poly(téréphtalate de tétraméthylène); des films de poly(alcool vinylique); des résines polyuréthanes; des polymères blocs de styrène; des copolymères styrène-anhydride maléique; des copolymères styrène-méthacrylate de méthyle; des textryls; des résines urée-formaldéhyde; des copolymères chlorure de vinyle-éthylène; des copolymères chlorure de vinyle-hexène-1; des copolymères chlorure de vinyle-éther vinylique de lauryle; des copolymères chlorure de vinyle-propylène; des copolymères chlorure de vinylidène/acrylate de méthyle; des polymères chlorure de vinylidène/acrylate de méthyle/méthacrylate de méthyle; des polymères d'éthylène chlorosulfonés; des résines époxy thermodurcissables de 4,4'-isopropylidènediphénol-épichlorhydrine; des résines de nylon renforcées par des matières minérales; des élastomères vulcanisés avec un perfluorocarbure; des résines phénoliques; des résines polyesters réticulées; des résines polyéthers chlorés; des résines polyéthersulfones; des résines polyamide-imides; des résines poly(oxyde de (2,6-diméthyl-1,4-phénylène)); des

copolymères polyoxyméthyléniques; des homopolymères polyoxyméthyléniques; des résines poly(sulfure de phénylène); des résines poly(fluorure de vinylidène); et des résines styrène-divinylbenzène réticulées.

8. Composition selon la revendication 1, dans laquelle le pigment contient environ 0,1 - 50 % en masse du colorant solvaté.
9. Composition selon la revendication 8, dans laquelle la composition contient environ 0,5 - 50 % en masse du pigment.
10. Composition selon la revendication 1, dans laquelle la composition est sous forme d'un bâton convenant à l'application sur les lèvres.
11. Composition selon la revendication 1, dans laquelle la composition est sous forme d'une poudre.
12. Composition selon la revendication 1, dans laquelle la composition est sous forme liquide.
13. Méthode pour donner à la peau, aux cheveux ou aux ongles d'une personne un effet cosmétique attirant, comprenant l'application sur la peau, les cheveux ou les ongles d'une quantité efficace de la composition selon l'une quelconque des revendications 1 à 9.
14. Méthode pour donner aux lèvres d'une personne un effet cosmétique attirant, comprenant l'application sur les lèvres d'une quantité efficace de la composition selon la revendication 10.
15. Méthode pour donner à la peau ou aux cheveux d'une personne un effet cosmétique attirant, comprenant l'application sur la peau ou les cheveux d'une quantité efficace de la composition selon la revendication 11.
16. Méthode selon la revendication 15, dans laquelle la composition est appliquée sur les joues d'une personne.
17. Méthode pour donner à la peau, aux cheveux ou aux ongles d'une personne un effet cosmétique attirant, comprenant l'application sur les ongles d'une quantité efficace de la composition selon la revendication 12.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**